Docket No.: 0630-1926P

AMENDMENTS TO THE CLAIMS

RECEIVED
CENTRAL FAX CENTER

MAY 1 9 2008

1. (Cancelled)

2. (Previously Presented) A service method of a mobile terminal, comprising:

receiving open information stored in a first mobile terminal and transmitted by the first mobile terminal to a second mobile terminal through a wireless communication network based on a phone number of the first mobile terminal; and

displaying the received open information on a screen of the second mobile terminal, wherein the open information stored in the first mobile terminal is selected by the second mobile terminal.

- 3. (Previously Presented) The method of claim 2, wherein the open information is included in a menu of a phone page of the first mobile terminal.
- 4. (Previously Presented) The method of claim 2, wherein the open information is phone numbers previously stored by the first mobile terminal or open personal information corresponding to the phone numbers.
- 5. (Previously Presented) A service method of a mobile terminal, comprising:
 connecting a first mobile terminal to a phone-page of a second mobile terminal through a
 wireless communication network based on a phone number of the second mobile terminal;

EHC/JSH/jmc

Docket No.: 0630-1926P

displaying menus of the phone-page of the second mobile terminal on a screen of the first mobile terminal; and

receiving open information included in a menu selected by a user of the first mobile terminal among the displayed menus from the second mobile terminal without interaction of interface in the second mobile terminal.

6. (Cancelled)

- 7. (Previously Presented) The method of claim 5, wherein the open information included in the menu selected by the first mobile terminal is data previously shared by the second user and/or personal information of a third party.
 - 8. (Previously Presented) The method of claim 5, wherein the connecting step comprises: a step in which the first mobile terminal obtains an IP address corresponding to the phone

number of the second mobile terminal from a Web server; and

a step in which the first mobile terminal is connected to the phone page of the second mobile terminal through the IP address of the second mobile terminal obtained from the Web server.

9. (Previously Presented) A service method of a mobile terminal, comprising:

a step in which a first mobile terminal obtains an IP address of a second mobile terminal from a Web server;

Docket No.: 0630-1926P

a step in which the first mobile terminal is connected to a phone page of the second

mobile terminal through the IP address based on a phone number of the second mobile terminal;

a step in which menus of the phone page of the second mobile terminal are displayed on a

screen of the first mobile terminal without interaction of interface in the second mobile terminal;

and

a step in which open information included in the menu selected by the first mobile

terminal among the displayed menus is received from the second mobile terminal.

10. (Original) The method of claim 9 further comprising:

a step in which if an IP address of the second mobile terminal is not provided from the

Web server to the first mobile terminal, the first mobile terminal requests connection to the

second mobile terminal so that the second mobile terminal can be connected to an IP network

through a CDMA (Code Division Multiple Access) channel.

11. (Original) The method of claim 9, wherein the menu of the phone page includes at

least one of an open phone number, remittance and a voice memo.

12. (Previously Presented) A service system comprising:

a first mobile terminal and a second mobile terminal, wherein the second mobile terminal

receives a service by being connected to a CDMA network through a base station, a base station

controller and a PDSN (Packet Data Serving Node) and the first mobile terminal is connected to

the CDMA network through a base station, a base station controller, and a mobile switch center,

EHC/JSH/jmc

MAY-19-2008 MON 04:24 PM BSKB FAX 401 FAX NO. 7032058050 P. 08/13

Application No. 10/757,700 Response to Office Action dated February 21, 2008

wherein open information stored in the first mobile terminal is received through a peer-

to-peer network without interaction of interface in the second mobile terminal and the received

open information is displayed on a screen of the second mobile terminal, and

wherein the open information stored in the first mobile terminal is selected by a user of

the second mobile terminal.

13. (Previously Presented) A service system comprising:

a first mobile terminal and a second mobile terminal, wherein the first mobile terminal

receives a service by being connected to a CDMA network through a base station, a base station

controller and a PDSN and the second mobile terminal is connected to the CDMA network

through a base station, a base station controller, and a mobile switch center,

wherein when a phone number of the second mobile terminal is inputted to the first

mobile terminal, an IP address corresponding to the phone number of the second mobile terminal

is obtained from a Web server, the first mobile terminal is connected to a phone page of the

second mobile terminal through the IP address, menus of the phone page of the second mobile

terminal are displayed on a screen of the first mobile terminal, and open information included in

a menu selected by a user of the first mobile terminal among the displayed menus is received

from the second mobile terminal without interaction of interface in the second mobile terminal.

14. (Currently Amended) The method of claim 42, wherein the first and second mobile

terminals are cell phones.

EHC/JSH/jmc

Docket No.: 0630-1926P

Docket No.: 0630-1926P

- 15. (Previous Presented) The method of claim 9, wherein the first and second mobile terminals are cell phones.
- 16. (Previous Presented) The system of claim 12, wherein the first and second mobile terminals are cell phones.
- 17. (Previous Presented) The method of claim 2, wherein the receiving step is performed when the first mobile terminal makes a call to the second mobile terminal and the second mobile terminal does not answer.
- 18. (New) The method of claim 2, wherein the open information is received at a request of a user of the second mobile terminal to the first mobile terminal through the wireless communication network based on the phone number of the first mobile terminal.
- 19. (New) The method of claim 5, wherein the open information is received at a request of the user of the first mobile terminal to the second mobile terminal through the wireless communication network based on the phone number of the second mobile terminal.
- 20. (New) The method of claim 9, wherein the open information is received from the second mobile terminal at a request of a user of the first mobile terminal to the second mobile terminal through the IP address based on the phone number of the second mobile terminal.

EHC/JSH/jmc

Docket No.: 0630-1926P

- 21. (New) The system of claim 12, wherein the open information is received at a request of a user of the first mobile terminal to the second mobile terminal through the CDMA network based on the phone number of the second mobile terminal.
- 22. (New) The system of claim 13, wherein the open information is received at a request of the user of the first mobile terminal to the second mobile terminal through the CDMA network based on the phone number of the second mobile terminal.